

### 661-A02-025


JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
1"	25	1/2"	13	1/2"	13

FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:2
DOC:	CADJM.010/R4





### 661-A02-050


JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
2"	51	1"	25	1"	25

FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
 CURB MOUNTED CENTERING BAR  
 ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:2
DOC:	CADJM.010/R4





## 661-A02-075

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
3"	76	1-1/2"	38	1-1/2"	38


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:2
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



## 661-A02-100

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
4"	102	2"	51	2"	51


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:2
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



## 661-A02-150

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
6"	152	3"	76	3"	76


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



## 661-A02-200

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
8"	203	4"	102	4"	102


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	12-7-16
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**  
For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

PAN HEAD MACHINE SCREW W/  
NEOPRENE WEATHER WASHER (7  
PER FRAME) (JK124/082)

CONT. ALUM. PLATE (J6C116-F)  
6" [152mm] SPLICE PLATE  
(J6C116-FSP)

CONT. VINYL GASKET (J3D505-M)


CONT. ALUM. SURFACE MOUNT  
FRAME (SET IN SEALANT BY  
OTHERS) (J6A103)

#12 x 1" [M5x25] PAN HEAD  
WOOD SCREW THRU  
NEOPRENE WEATHER WASHER  
(DISCARD PLASTIC INSERT) (7  
PER FRAME @ 18" [457mm]  
O.C.) (JK051/080)

OPTIONAL CAULKING  
(BY OTHERS)

WOOD CURB & ROOFING  
MEMBRANE (BY OTHERS) REF.  
STANDARD CURB DETAIL FOR  
MEMBRANE LAYERING

REINF. EPDM VAPOR BARRIER  
(JL024-RVB) NOTE: SET IN  
CONT. BED OF BUTYL SEALANT  
(BY OTHERS) TERMINATE RVB  
AT OUTSIDE EDGES OF  
SYSTEM



## 661-A02-300

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
12"	305	6"	152	6"	152

FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	4-13-05
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

PAN HEAD MACHINE SCREW  
W/ NEOPRENE WEATHER  
WASHER (7 PER FRAME)  
(JK124/082)

CONT. ALUM. PLATE  
(J6C117-F) 6" [152mm]  
SPLICE PLATE (J6C117-FSP)

CONT. VINYL GASKET  
(J3D505-M)


CONT. ALUM. SURFACE  
MOUNT FRAME (SET IN  
SEALANT BY OTHERS)  
(J6A103)

#12 x 1" [M5x25] PAN HEAD  
WOOD SCREW THRU  
NEOPRENE WEATHER  
WASHER (DISCARD  
PLASTIC INSERT) (7 PER  
FRAME @ 18" [457mm] O.C.)  
(JK051/080)

OPTIONAL CAULKING  
(BY OTHERS)

WOOD CURB & ROOFING  
MEMBRANE (BY OTHERS)  
REF. STANDARD CURB  
DETAIL FOR MEMBRANE  
LAYERING

REINF. EPDM VAPOR  
BARRIER (JL030-RVB) NOTE:  
SET IN CONT. BED OF BUTYL  
SEALANT (BY OTHERS)  
TERMINATE RVB AT OUTSIDE  
EDGES OF SYSTEM



## 661-A02-350

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
14"	356	7"	178	7"	178


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION:  
CURB MOUNTED CENTERING BAR  
ROOF/WALL CONDITION

DATE:	12-7-16
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION: CURB MOUNTED CENTERING BAR ROOF/WALL CONDITION
---

DATE:	12-7-16
SCALE:	1:4
DOC:	CADJM.010/R4

**inpro.**  
For More Information Visit: [Inprocorp.com](http://Inprocorp.com)