

#8 X 2" [M4x50] SELF-TAPPING SHEET METAL SCREW (7 PER FRAME @ 18" [457mm] O.C.) (JK061)

- CONT. ALUM. RECESSED FRAME (J2A001)
- CONT. SANTOPRENE SEAL
- 3/8" [10mm] DRYWALL (BY OTHERS)
- CONT. ALUM. RECESSED HALF PLATE (J2C016-F1)

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D101)        |  |
| Beige (J1D102)        |  |
| Gray (J1D103)         |  |
| Off White (J1D104)    |  |
| Bright White (J1D105) |  |

## 223-A09-050

| JOINT WIDTH |    | MOVEMENT ± |    |          |    |
|-------------|----|------------|----|----------|----|
|             |    | HORIZONTAL |    | VERTICAL |    |
| US          | mm | US         | mm | US       | mm |
| 2"          | 51 | 1/2"       | 12 | 1/2"     | 12 |

NOTE:  
TO DETERMINE BLOCKOUT DEPTH,  
DEDUCT THICKNESS OF FLOOR FINISH  
FROM FRAME HEIGHT.  
LOW PROFILE OPTIONS AVAILABLE

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-08-2017

SCALE: 1:2

DOC: CADJM.103/R3

APPLICATION  
RECESSED FLOOR/WALL CONDITION  
RECESSED PLATE FOR 3/8" FLOORING


PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D151)        |  |
| Beige (J1D152)        |  |
| Gray (J1D153)         |  |
| Off White (J1D154)    |  |
| Bright White (J1D155) |  |

## 223-A09-075

| JOINT WIDTH |    | MOVEMENT ± |    |          |    |
|-------------|----|------------|----|----------|----|
|             |    | HORIZONTAL |    | VERTICAL |    |
| US          | mm | US         | mm | US       | mm |
| 3"          | 76 | 3/4"       | 19 | 3/4"     | 19 |

NOTE:  
TO DETERMINE BLOCKOUT DEPTH,  
DEDUCT THICKNESS OF FLOOR FINISH  
FROM FRAME HEIGHT.

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-08-2017

SCALE: 1:2

DOC: CADJM.103/R3

APPLICATION  
RECESSED FLOOR/WALL CONDITION  
RECESSED PLATE FOR 3/8" FLOORING


PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



#8 X 2" [M4x50]  
SELF-TAPPING SHEET  
METAL SCREW (7 PER  
FRAME @ 18" [457mm]  
O.C.) (JK061)

CONT. ALUM. RECESSED FRAME  
(J2A002)  
CONT. SANTOPRENE SEAL  
3/8" [10mm] DRYWALL (BY OTHERS)  
CONT. ALUM. RECESSED  
HALF PLATE (J2C017)

## 223-A09-100

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 4"          | 102 | 1"         | 25 | 1"       | 25 |

NOTE:  
TO DETERMINE BLOCKOUT DEPTH,  
DEDUCT THICKNESS OF FLOOR FINISH  
FROM FRAME HEIGHT.  
LOW PROFILE OPTIONS AVAILABLE

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-08-2017

SCALE: 1:2

DOC: CADJM.103/R3

APPLICATION  
RECESSED FLOOR/WALL CONDITION  
RECESSED PLATE FOR 3/8" FLOORING


PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



## 223-A09-150

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 6"          | 152 | 1 1/2"     | 38 | 1 1/2"   | 38 |

NOTE:  
TO DETERMINE BLOCKOUT DEPTH,  
DEDUCT THICKNESS OF FLOOR FINISH  
FROM FRAME HEIGHT.

FINISH: ALUM. FINISH-MILL

**• JOINTMASTER®**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-08-2017

SCALE: 1:2

DOC: CADJM.103/R3

APPLICATION  
RECESSED FLOOR/WALL CONDITION  
RECESSED PLATE FOR 3/8" FLOORING

PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

1/4"-20 X 3" PHILLIPS FLAT HEAD MACHINE SCREW (7 PER PLATE @ 18" [457mm] O.C.) (JK178)

STEEL CENTERING BAR (WITH PRE-ATTACHED COMPRESSION SPRING ASSEMBLY) (7 PER PLATE @ 18" (457mm) O.C.) (J4J012-W1)

CONT. ALUM. FLUSH WALL FRAME (J3A200)


CENTER PLATE HINGED END FRAME (J2E003)

SEALANT (BY OTHERS)

1/4"-20 X 5/8" FLAT HEAD MACHINE SCREW (7 PER COVER @ 18" [457mm] O.C.) (JK037)

1/4"-20 X 1 1/2" HEX HEAD CAP SCREW (JK112)

3/8" [10mm] DRYWALL (BY OTHERS)



CONT. ALUM. PLATE (J2C080-FW)

CONT. ALUM. RECESSED FRAME (J2A007)

#8 X 2" [M4x50] SELF-TAPPING SHEET METAL SCREW (7 PER FRAME @ 18" [457mm] O.C.) (JK061)

5/8" [16mm] DRYWALL (BY OTHERS)

3/4" [19mm]

FEATHER JOINT DRYWALL COMPOUND (BY OTHERS)

CONT. ALUM. WALL FRAME (J1A030-F)

CONT. SANTOPRENE SEAL

## 223-A09-200

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 8"          | 203 | 2"         | 51 | 1"       | 25 |

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-16-17

SCALE: 1:4

DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL

PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

1/4"-20 X 3" PHILLIPS FLAT HEAD MACHINE SCREW (7 PER PLATE @ 18" [457mm] O.C.) (JK178)

STEEL CENTERING BAR (WITH PRE-ATTACHED COMPRESSION SPRING ASSEMBLY) (7 PER PLATE @ 18" (457mm) O.C.) (J4J018-W1)

CONT. ALUM. FLUSH WALL FRAME (J3A200)


CENTER PLATE HINGED END FRAME (J2E003)

SEALANT (BY OTHERS)

1/4"-20 X 5/8" FLAT HEAD MACHINE SCREW (7 PER COVER @ 18" [457mm] O.C.) (JK037)

3/8" [10mm] DRYWALL (BY OTHERS)

1/4"-20 X 1 1/2" HEX HEAD CAP SCREW (JK112)



CONT. ALUM. PLATE (J2C081-FW)

CONT. ALUM. RECESSED FRAME (J2A007)

#8 X 2" [M4x50] SELF-TAPPING SHEET METAL SCREW (7 PER FRAME @ 18" [457mm] O.C.) (JK061)

5/8" [16mm] DRYWALL (BY OTHERS)

3/4" [19mm]

FEATHER JOINT DRYWALL COMPOUND (BY OTHERS)

CONT. ALUM. WALL FRAME (J1A030-F)

CONT. SANTOPRENE SEAL

## 223-A09-250

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 10"         | 254 | 2-1/2"     | 64 | 1 1/4"   | 32 |

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-16-17

SCALE: 1:4

DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL


PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

## 223-A09-300

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 12"         | 305 | 3"         | 76 | 1 1/2"   | 38 |

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-16-17  
SCALE: 1:4  
DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL

PROJECT:  
CUSTOMER:  
LOCATION:

**inpro.**  
For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

1/4"-20 X 3" PHILLIPS FLAT HEAD MACHINE SCREW (7 PER PLATE @ 18" [457mm] O.C.) (JK178)

STEEL CENTERING BAR (WITH PRE-ATTACHED COMPRESSION SPRING ASSEMBLY) (7 PER PLATE @ 18" (457mm) O.C.) (J4J024-FW1)

CONT. ALUM. FLUSH WALL FRAME (J3A200)

CENTER PLATE HINGED END FRAME (J2E003)  
SEALANT (BY OTHERS)

1/4"-20 X 5/8" FLAT HEAD MACHINE SCREW (7 PER COVER @ 18" [457mm] O.C.) (JK037)

3/8" [10mm] DRYWALL (BY OTHERS)

1/4"-20 X 1 1/2" HEX HEAD CAP SCREW (JK112)

CONT. ALUM. RECESSED FRAME (J2A007)

#8 X 2" [M4x50] SELF-TAPPING SHEET METAL SCREW (7 PER FRAME @ 18" [457mm] O.C.) (JK061)


5/8" [16mm] DRYWALL (BY OTHERS)

3/4" [19mm]

FEATHER JOINT DRYWALL COMPOUND (BY OTHERS)

CONT. ALUM. WALL FRAME (J1A030-F)

CONT. SANTOPRENE SEAL  
CONT. ALUM. PLATE (J2C083-FW)



## 223-A09-350

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |    |          |    |
|-------------|-----|------------|----|----------|----|
|             |     | HORIZONTAL |    | VERTICAL |    |
| US          | mm  | US         | mm | US       | mm |
| 14"         | 356 | 3 1/2"     | 89 | 2 1/4"   | 57 |

NOTE:  
TO DETERMINE BLOCKOUT DEPTH,  
DEDUCT THICKNESS OF FLOOR  
FINISH FROM FRAME HEIGHT.

FINISH: ALUM. FINISH-MILL

**• JOINTMASTER®**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO®

DATE: 03-16-17

SCALE: 1:4

DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL


PROJECT:

CUSTOMER:

LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



## 223-A09-400

| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

| JOINT WIDTH |     | MOVEMENT ± |     |          |    |
|-------------|-----|------------|-----|----------|----|
|             |     | HORIZONTAL |     | VERTICAL |    |
| US          | mm  | US         | mm  | US       | mm |
| 16"         | 406 | 4"         | 102 | 2 1/4"   | 57 |

**NOTE:**  
TO DETERMINE BLOCKOUT DEPTH, DEDUCT THICKNESS OF FLOOR FINISH FROM FRAME HEIGHT.

FINISH: ALUM. FINISH-MILL

**• JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO


DATE: 03-16-17  
SCALE: 1:4  
DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL

PROJECT:  
CUSTOMER:  
LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



| SPECIFY SEAL COLOR:   |  |
|-----------------------|--|
| Black (J1D201)        |  |
| Beige (J1D202)        |  |
| Gray (J1D203)         |  |
| Off White (J1D204)    |  |
| Bright White (J1D205) |  |

223-A09-450

| JOINT WIDTH |     | MOVEMENT ± |     |          |    |
|-------------|-----|------------|-----|----------|----|
|             |     | HORIZONTAL |     | VERTICAL |    |
| US          | mm  | US         | mm  | US       | mm |
| 18"         | 457 | 4-1/2"     | 114 | 2 1/4"   | 57 |

FINISH: ALUM. FINISH-MILL

**JOINTMASTER**  
EXPANSION JOINT SYSTEMS  
A DIVISION OF INPRO

DATE: 03-16-17  
SCALE: 1:5  
DOC: CADJM.103/R3

APPLICATION  
WALL/CORNER-WALL/CEILING  
CONDITION W/ SEAL

PROJECT:  
CUSTOMER:  
LOCATION:

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)